

Click for [Full Prescribing Information](#) including BOXED WARNING, if applicable.

Pfizer Inc.
275 North Field Drive
Lake Forest, IL 60045



February 13, 2023

**NDC and Packaging Update for Magnesium Sulfate in Water for Injection
Flexible Container, Multiple Presentations**

Dear Valued Customer,

Pfizer Hospital is pleased to share that the new NDCs, with packaging updates, for Magnesium Sulfate in Water for Injection Flexible Container, multiple presentations are now available at wholesalers and distributors (please note locational inventory may vary).

While there is a difference in packaging, unit of sale size and NDC, as detailed in the Transition Table below, there is no change to unit of use price, formulation, or indication.

Please keep in mind that both current and new NDCs for Magnesium Sulfate in Water for Injection 2 g/50 mL and 4 g/100 mL (40 mg/mL) Flexible Containers will remain in the marketplace. However, the new NDC, 00409-6730-60, for Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container will replace the current NDC, 00409-6730-13, once it is depleted. We request that you continue using the current NDC when available.

TRANSITION TABLE

CURRENT NDC	NEW NDC INFORMATION			
Current Unit of Sale NDC	New Unit of Sale NDC Being Made Available	Ordering & Shipping Options	Product Description	Unit of Sale Pack Size
00409-6729-24	00409-5239-60	Wholesaler, Distributor & Direct Ship	Magnesium Sulfate in Water for Injection 2 g/50 mL (40 mg/mL) Flexible Container	60
00409-6730-13	00409-6730-60	Wholesaler, Distributor & Direct Ship	Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container	60
00409-6729-23	00409-4121-50	Wholesaler, Distributor & Direct Ship	Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container	50

Wholesaler numbers and barcodes have been included below.

WHOLESALE NUMBER TABLE



NEW NDC Wholesaler Numbers					
NEW Unit of Sale NDC	NEW Unit of Use NDC	ABC	Cardinal	McKesson	Morris & Dickson
00409- 5239-60	00409- 5239-01	10276471	5820881	2666428	197723
00409- 6730-60	00409- 6730-50	10276489	5820899	2666436	197731
00409- 4121-50	00409- 4121-01	10276359	5820907	2666444	197780

BARCODES – NEW NDC



<p>Magnesium Sulfate in Water for Injection 2 g/50 mL (40 mg/mL) Flexible Container Unit of Sale</p>  <p>00304095239605</p>	<p>Magnesium Sulfate in Water for Injection 2 g/50 mL (40 mg/mL) Flexible Container Unit of Use</p>  <p>10304095239015</p>
<p>Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container Unit of Sale</p>  <p>00304096730606</p>	<p>Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container Unit of Use</p>  <p>10304096730504</p>
<p>Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container Unit of Sale</p>  <p>00304094121505</p>	<p>Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container Unit of Use</p>  <p>10304094121014</p>









PRODUCT INFORMATION: Magnesium Sulfate in Water for Injection 2 g/50 mL (40 mg/mL) Flexible Container

CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 2 g/50 mL (40 mg/mL) Flexible Container	
Unit of Sale NDC	00409-6729-24	00409-5239-60
Unit of Use NDC	00409-6729-11	00409-5239-01
Unit of Sale Size	24 Flexible Containers	60 Flexible Containers
Unit of Use Label Image		
Unit of Use Bag Image		
Bag Material	PVC	Polyolefin
Overwrap Image		

CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 2 g/50 mL (40 mg/mL) Flexible Container	
Unit of Sale Shipper Label Image		







PRODUCT INFORMATION: Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container



CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container	
Unit of Sale NDC	00409-6730-13	00409-6730-60
Unit of Use NDC	00409-6730-11	00409-6730-50
Unit of Sale Size	24 Flexible Containers	60 Flexible Containers
Unit of Use Label Image		

CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 4 g/50 mL (80 mg/mL) Flexible Container	
Unit of Use Bag Image		
Bag Material	PVC	Polyolefin
Overwrap Image	 	 
Unit of Sale Shipper Label Image		

PRODUCT INFORMATION: Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container

CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container	
Unit of Sale NDC	00409-6729-23	00409-4121-50
Unit of Use NDC	00409-6729-41	00409-4121-01
Unit of Sale Size	24 Flexible Containers	50 Flexible Containers

CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container	
Unit of Use Label Image	 <p>100 mL NDC 0409-6729-41</p> <p>MAGNESIUM SULFATE</p> <p>IN WATER FOR INJECTION</p> <p>4 g/100 mL (40 mg/mL)</p> <p>4g TOTAL</p> <p>1/4" Clear Area Between Colors</p> <p>EACH 100 mL CONTAINS MAGNESIUM SULFATE HEPTAHYDRATE 4 g (EQUIVALENT TO 32.5 mEq MAGNESIUM) IN WATER FOR INJECTION. MAY CONTAIN SULFURIC ACID AND/OR SODIUM HYDROXIDE FOR pH ADJUSTMENT. pH 4.5 (3.5 to 6.5) 325 mOsmol/LITER (CALC.) SINGLE-DOSE CONTAINER. DISCARD UNUSED PORTION. FOR INTRAVENOUS USE. RECOMMENDED DOSAGE: SEE PRESCRIBING INFORMATION. STERILE, NONPYROGENIC. USE ONLY IF SOLUTION IS CLEAR AND CONTAINER IS UNDAMAGED. MUST NOT BE USED IN SERIES CONNECTIONS.</p> <p>Rx ONLY IM-5198</p> <p>DISTRIBUTED BY HOSPIRA, INC., LAKE FOREST, IL 60045 USA</p> <p>CONTAINS DEHP</p> <p>Hospira</p>	 <p>100 mL NDC 0409-4121-01</p> <p>Magnesium Sulfate</p> <p>in Water for Injection</p> <p>4 g/100 mL (40 mg/mL)</p> <p>4g TOTAL</p> <p>Each 100 mL contains magnesium sulfate heptahydrate 4 g (equivalent to 32.5 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 325 mOsmol/Liter (CALC.) Single-dose container. Discard unused portion. For intravenous use. Recommended dosage: see prescribing information. Sterile, nonpyrogenic. Use only if solution is clear and container is undamaged. Must not be used in series connections.</p> <p>Rx ONLY</p> <p>12137-02</p> <p>LOT:12345678 EXP:mm-yyyy</p> <p>Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Hospira</p>
Unit of Use Bag Image	 <p>100 mL NDC 0409-6729-23</p> <p>MAGNESIUM SULFATE</p> <p>IN WATER FOR INJECTION</p> <p>4 g/100 mL (40 mg/mL)</p> <p>4g TOTAL</p> <p>0.325 mEq Mg⁺⁺/mL</p> <p>EACH 100 mL CONTAINS MAGNESIUM SULFATE HEPTAHYDRATE 4 g (EQUIVALENT TO 32.5 mEq MAGNESIUM) IN WATER FOR INJECTION. MAY CONTAIN SULFURIC ACID AND/OR SODIUM HYDROXIDE FOR pH ADJUSTMENT. pH 4.5 (3.5 to 6.5) 325 mOsmol/LITER (CALC.) SINGLE-DOSE CONTAINER. DISCARD UNUSED PORTION. FOR I.V. USE. USUAL DOSAGE: DISINFECT SYRINGE. NONPYROGENIC. USE ONLY IF SOLUTION IS CLEAR AND CONTAINER IS UNDAMAGED. MUST NOT BE USED IN SERIES CONNECTIONS.</p> <p>Rx ONLY</p> <p>CONTAINS DEHP</p> <p>PRINTED IN USA IM-1333 10/07</p> <p>HOSPIRA, INC., LAKE FOREST, IL 60045 USA</p> <p>Hospira</p>	 <p>100 mL NDC 0409-4121-01</p> <p>Magnesium Sulfate</p> <p>in Water for Injection</p> <p>4 g/100 mL (40 mg/mL)</p> <p>4g TOTAL</p> <p>Each 100 mL contains magnesium sulfate heptahydrate 4 g (equivalent to 32.5 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 325 mOsmol/Liter (CALC.) Single-dose container. Discard unused portion. For intravenous use. Recommended dosage: see prescribing information. Sterile, nonpyrogenic. Use only if solution is clear and container is undamaged. Must not be used in series connections.</p> <p>Rx ONLY</p> <p>12137-02</p> <p>LOT:12345678 EXP:mm-yyyy</p> <p>Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Hospira</p>
Bag Material	PVC	Polyolefin
Overwrap Image	 <p>100 mL TO OPEN - TEAR AT NOTCH NDC 0409-4121-01</p> <p>MAGNESIUM SULFATE</p> <p>IN WATER FOR INJECTION</p> <p>4 g/100 mL (40 mg/mL)</p> <p>4g TOTAL</p> <p>Each 100 mL contains magnesium sulfate heptahydrate 4 g (equivalent to 32.5 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 325 mOsmol/Liter (CALC.) Single-dose container. Discard unused portion. For intravenous use. Recommended dosage: see prescribing information. Sterile, nonpyrogenic. Use only if solution is clear and container is undamaged. Must not be used in series connections.</p> <p>DO NOT ADD SUPPLEMENTARY MEDICATION. WHENEVER POSSIBLE USE CENTRAL ROUTE.</p> <p>Single-dose container. For intravenous use. Recommended dosage: See prescribing information. Sterile, nonpyrogenic. Use only if solution is clear. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as it may be contaminated. Must not be used in series connections. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready for use. Use unit promptly when pouch is opened. Store at 20 to 25°C (68 to 77°F). (See USP Controlled Room Temperature.) Avoid excessive heat. Protect from freezing. See prescribing information.</p> <p>Not Made With Natural Rubber Latex</p> <p>Rx ONLY</p> <p>12137-02</p> <p>LOT:12345678 EXP:mm-yyyy</p> <p>Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Hospira</p>	 <p>100 mL NDC 0409-4121-01</p> <p>Magnesium Sulfate</p> <p>in Water for Injection</p> <p>4 g/100 mL (40 mg/mL)</p> <p>4g TOTAL</p> <p>Each 100 mL contains magnesium sulfate heptahydrate 4 g (equivalent to 32.5 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 325 mOsmol/Liter (CALC.) Single-dose container. Discard unused portion. For intravenous use. Recommended dosage: see prescribing information. Sterile, nonpyrogenic. Use only if solution is clear and container is undamaged. Must not be used in series connections.</p> <p>DO NOT ADD SUPPLEMENTARY MEDICATION. WHENEVER POSSIBLE USE CENTRAL ROUTE.</p> <p>Single-dose container. For intravenous use. Recommended dosage: See prescribing information. Sterile, nonpyrogenic. Use only if solution is clear. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as it may be contaminated. Must not be used in series connections. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready for use. Use unit promptly when pouch is opened. Store at 20 to 25°C (68 to 77°F). (See USP Controlled Room Temperature.) Avoid excessive heat. Protect from freezing. See prescribing information.</p> <p>Not Made With Natural Rubber Latex</p> <p>Rx ONLY</p> <p>12137-02</p> <p>LOT:12345678 EXP:mm-yyyy</p> <p>Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Hospira</p>

CATEGORY	CURRENT	NEW
Product Description	Magnesium Sulfate in Water for Injection 4 g/100 mL (40 mg/mL) Flexible Container	
Unit of Sale Shipper Label Image		

Contact your local wholesaler with your updated forecast for these products.

Please contact your sales representative or your account executive for any other questions. For medical inquiries, please contact Pfizer Medical Information at 1-800-438-1985.

Thank you,

Angelika Piatek
Portfolio Director, Premixes, Micronutrients and Specialty Solutions
Pfizer Hospital U.S.

