

Click for [Full Prescribing Information](#) including BOXED WARNING.

Pfizer Inc.
275 North Field Drive
Lake Forest, IL 60045



July 15, 2024

NDC and Formulation Change for Levofloxacin in 5% Dextrose Injection Flexible Container Presentations

Dear Valued Customer,

Pfizer Hospital is please to share the new NDC and formulation changes for the **Levofloxacin in 5% Dextrose Injection Flexible Container Presentations** listed below are now available at wholesalers and distributors (please note locational inventory may vary).

While there is a difference in NDC, label, and formulation, as detailed in the Transition Table below, there is no change to unit of sale size, unit of use price, or indications.

Please begin to order the new NDCs, for any future orders. The current NDCs are already depleted.

TRANSITION TABLE

CURRENT NDC	NEW NDC INFORMATION			
Current Unit of Sale NDC Being Depleted	New Unit of Sale NDC Being Made Available	Ordering & Shipping Options	Product Description	Unit of Sale Pack Size
00409-0528-15	00409-2220-24	Wholesaler, Distributor & Direct Ship	Levofloxacin in 5% Dextrose Injection 250 mg/50 mL (5 mg/mL) Flexible Container	24
00409-0528-25	00409-3330-24	Wholesaler, Distributor & Direct Ship	Levofloxacin in 5% Dextrose Injection 500 mg/100 mL (5 mg/mL) Flexible Container	24
00409-0528-35	00409-4444-24	Wholesaler, Distributor & Direct Ship	Levofloxacin in 5% Dextrose Injection 750 mg/150 mL (5 mg/mL) Flexible Container	24

Wholesaler numbers and barcodes have been included below.



WHOLESALE NUMBERS


NEW NDC Wholesaler Numbers					
NEW Unit of Sale NDC	NEW Unit of Use NDC	AB (Cencora)	Cardinal	McKesson	Morris & Dickson
00409- 2220-24	00409- 2220-01	10290100	5930565	2966950	386805
00409- 3330-24	00409- 3330-01	10290054	5930573	2966968	386870
00409- 4444-24	00409- 4444-01	10290055	5930581	2967016	386888





BARCODES – NEW NDC








Levofloxacin in 5% Dextrose Injection 250 mg/50 mL Unit of Sale  00304092220248	Levofloxacin in 5% Dextrose Injection 250 mg/50 mL Unit of Use  10304092220016	Levofloxacin in 5% Dextrose Injection 250 mg/50 mL Overwrap  20304092220013
Levofloxacin in 5% Dextrose Injection 500 mg/100 mL Unit of Sale  00304093330243	Levofloxacin in 5% Dextrose Injection 500 mg/100 mL Unit of Use  10304093330011	Levofloxacin in 5% Dextrose Injection 500 mg/100 mL Overwrap  20304093330018
Levofloxacin in 5% Dextrose Injection 750 mg/150 mL Unit of Sale  00304094444246	Levofloxacin in 5% Dextrose Injection 750 mg/150 mL Unit of Use  10304094444014	Levofloxacin in 5% Dextrose Injection 750 mg/150 mL Overwrap  20304094444011

PRODUCT INFORMATION FOR: Levofloxacin in 5% Dextrose Injection 250 mg/50 mL (5 mg/mL) Flexible Container

CATEGORY	CURRENT		NEW	
Product Description	Levofloxacin in 5% Dextrose Injection 250 mg/50 mL (5 mg/mL) Flexible Container			
Unit of Sale NDC	00409-0528-15		00409-2220-24	
Unit of Use NDC	0409-0528-13		00409-2220-01	
Unit of Sale Size	24 Flexible Containers		24 Flexible Containers	
Formulation	Ingredient	Quantity per bag	Ingredient	Quantity per bag
	Levofloxacin (Hemihydrate)	256.25 mg	Levofloxacin	250 mg
	Dextrose (Hydrous) USP	2500 mg	Dextrose Monohydrate	2500 mg
	Hydrochloric Acid NF	59 mg	N/A	N/A
	Hydrochloric Acid NF (20%)	q.s. pH 5.1 to 5.5	Hydrochloric Acid, USP	q.s. for pH Adjustment
	Sodium Hydroxide NF (1 N)	q.s. pH 5.1 to 5.5	Sodium Hydroxide	q.s. for pH Adjustment
	Water for Injection USP	q.s. to 50 mL	Water for Injection, USP	q.s. to 50 mL
Bag Image				


CATEGORY	CURRENT	NEW
Unit of Use Label Image		<div data-bbox="894 317 1386 338">NDC 0409-2220-01 50 mL</div> <div data-bbox="914 344 1365 485"> <h1>Levofloxacin</h1> <p>in 5% Dextrose Injection 250 mg/50 mL (5 mg/mL)</p> </div> <div data-bbox="1029 512 1284 531"> <p>INFUSE OVER 60 MINUTES</p> </div> <div data-bbox="979 533 1369 737"> <p>Use immediately once removed from the overwrap. No further dilution is necessary. Each 50 mL contains a dilute solution equivalent of 250 mg of levofloxacin (5 mg/mL) in 5% dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF to adjust pH to 3.8 to 5.8. Additives should not be added or infused simultaneously through the same intravenous line. Single-dose container. Any unused portion should be discarded. Usual Adult Dosage: See insert. Use only if solution is clear and container is undamaged. Must not be used in series connection. Attention Pharmacist: Dispense the accompanying Medication Guide to each patient.</p> </div> <div data-bbox="979 743 1130 810"> <p>Sterile, Nonpyrogenic. Rx only LOT</p> </div> <div data-bbox="1243 726 1365 810"> <p>Hospira Distributed by Hospira, Inc., Lake Forest, IL 60045 USA EXP</p> </div> <div data-bbox="894 548 967 800"> </div> <div data-bbox="1369 669 1386 753"> <p>BS4USLFX500</p> </div>




CATEGORY	CURRENT	NEW
Bag Image		
Unit of Use Label Image		

CATEGORY	CURRENT	NEW
Overwrap Image	<p>TO OPEN - TEAR AT NOTCH ONE UNIT / NDC 0409-0528-23</p> <p>100 mL</p> <p>Levofloxacin in 5% Dextrose Injection,</p> <p>500 mg/100 mL (5 mg/mL)</p> <p>500 mg in 100 mL 5% Dextrose</p> <p>ATTENTION PHARMACIST: DISPENSE THE ACCOMPANYING MEDICATION GUIDE TO EACH PATIENT. FOR INTRAVENOUS INFUSION INFUSE OVER 60 MINUTES</p>  <p>(01)00304090528230</p> <p>LEAVE BAG IN OVERWRAP UNTIL USE.</p> <p>Each 100 mL contains a dilute solution equivalent of 500 mg of levofloxacin (5 mg/mL) in 5% Dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF for pH adjustment. pH range 3.8 – 5.8.</p> <p>Usual Adult Dosage: See Insert. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Product may also be stored in a refrigerator, 2 to 8°C (36 to 46°F). Avoid excessive heat. Protect from light. Protect from freezing.</p> <p>Single-use container. Any unused portion should be discarded. Must not be used in series connection. Additives should not be added or infused through the same intravenous line. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready to use. Use unit promptly when pouch is open. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Use only if solution is clear and the container is undamaged. NO FURTHER DILUTION IS NECESSARY. This container closure is not made with natural rubber latex.</p> <p>Rx ONLY Distributed by Hospira, Inc., Lake Forest, IL 60045 USA.</p>  <p>other</p> <p>14484001 F WR-0565</p>	<p>TO OPEN-TEAR AT NOTCH</p> <p>NDC 0409-3330-01 1 x 100 mL</p> <p>Levofloxacin</p> <p>in 5% Dextrose Injection</p> <p>500 mg/100 mL (5 mg/mL)</p> <p>INFUSE OVER 60 MINUTES</p> <p>LEAVE BAG IN OVERWRAP UNTIL TIME OF USE.</p>  <p>(01)20304090330018</p> <p>Each 100 mL contains a dilute solution equivalent of 500 mg of levofloxacin (5 mg/mL) in 5% dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF for pH adjustment. pH range 3.8 to 5.8.</p> <p>Usual Adult Dosage: See Package Insert.</p> <p>Recommended Storage: At or below 25°C (77°F); however, brief exposure up to 40°C (104°F) does not adversely affect the product. Protect from light. Avoid excessive heat and protect from freezing. Single-dose container. Any unused portion should be discarded.</p> <p>Must not be used in series connections. Additives should not be added or infused simultaneously through the same intravenous line.</p> <p>The overwrap is a moisture barrier. Use unit promptly when pouch is open. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Use only if solution is clear and the container is undamaged. NO FURTHER DILUTION IS NECESSARY.</p> <p>Attention Pharmacist: Dispense the accompanying Medication Guide to each patient.</p> <p>Sterile, Nonpyrogenic, Preservative-free, PVC-free, DEHP-free. The container closure is not made with natural rubber latex.</p> <p> Hospira MADE IN INDIA Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Rx only</p> <p>054USLFX100</p>
Unit of Sale Shipper Label Image	<p>1-NDC 0409-0528-25</p> <p>L/N 0528-25 LC 04 IC 26 14604500</p> <p>QUANTITY: CASE PACK 1 X 24 - 100/100 ML</p> <p>LEVOFLOXACIN IN 5% DEXTROSE INJECTION, 5 MG/ML</p> <p>LOT NO.00000000 SUBLOT #: 1</p> <p>EXP. DATE 1FEB2003 RX ONLY MADE IN INDIA</p>  <p>(17) 030201 (10) 0000000 (30) 01</p>  <p>(01) 20304090528258 (21) 918532937293</p> <p>DISTRIBUTED BY: HOSPIRA, INC. LAKE FOREST, IL 60045</p> <p>STORE AT 20 DEG C TO 25 DEG C (68 DEG F TO 77 DEG F)</p>	

PRODUCT INFORMATION FOR: Levofloxacin in 5% Dextrose Injection 750 mg/150 mL (5 mg/mL) Flexible Container

CATEGORY	CURRENT		NEW	
Product Description	Levofloxacin in 5% Dextrose Injection 750 mg/150 mL (5 mg/mL) Flexible Container			
Unit of Sale NDC	00409-0528-35		00409-4444-24	
Unit of Use NDC	0409-0528-31		00409-4444-01	
Unit of Sale Size	24 Flexible Containers		24 Flexible Containers	
Formulation	Ingredient	Quantity per bag	Ingredient	Quantity per bag
	Levofloxacin (Hemihydrate)	768.75 mg	Levofloxacin	750 mg
	Dextrose (Hydrous) USP	7500 mg	Dextrose Monohydrate	7500 mg
	Hydrochloric Acid NF	177 mg	N/A	N/A
	Hydrochloric Acid NF (20%)	q.s. pH 5.1 to 5.5	Hydrochloric Acid, USP	q.s. for pH Adjustment
	Sodium Hydroxide NF (1 N)	q.s. pH 5.1 to 5.5	Sodium Hydroxide	q.s. for pH Adjustment
	Water for Injection USP	q.s. to 150 mL	Water for Injection, USP	q.s. to 150 mL
Bag Image				

CATEGORY	CURRENT	NEW
Unit of Use Label Image	 <p>LOT NO. EXP. DATE</p> <p>150 mL NDC 0409-0528-31</p> <p>Levofloxacin in 5% Dextrose Injection, 750 mg/150 mL (5 mg/mL)</p> <p>750 mg in 150 mL 5% Dextrose</p> <p>USE IMMEDIATELY ONCE REMOVED FROM THE OVERWRAP</p> <p>INFUSE OVER 90 MINUTES FOR INTRAVENOUS INFUSION</p> <p>No further dilution is necessary. Each 150 mL contains a dilute solution equivalent of 750 mg of levofloxacin (5 mg/mL) in 5% Dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF to adjust pH to 3.8 – 5.8. Additives should not be added or infused simultaneously through the same intravenous line. Single-use container. Any unused portion should be discarded. Usual Adult Dosage: See Insert. Sterile, nonpyrogenic. Use only if solution is clear and container is undamaged. Must not be used in series connection. Avoid excessive heat. This container closure is not made with natural rubber latex.</p> <p>RX ONLY Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>CONTAINS DEHP</p> <p>Hospira</p> <p>14484201 IM-4468</p>	<p>NDC 0409-4444-01 150 mL</p> <h1>Levofloxacin</h1> <p>in 5% Dextrose Injection</p> <p>750 mg/150 mL (5 mg/mL)</p> <p>INFUSE OVER 90 MINUTES</p> <p>Use immediately once removed from the overwrap. No further dilution is necessary. Each 150 mL contains a dilute solution equivalent of 750 mg of levofloxacin (5 mg/mL) in 5% dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF to adjust pH to 3.8 to 5.8. Additives should not be added or infused simultaneously through the same intravenous line.</p> <p>Single-dose container. Any unused portion should be discarded. Usual Adult Dosage: See insert. Use only if solution is clear and container is undamaged. Must not be used in series connection.</p> <p>Attention Pharmacist: Dispense the accompanying Medication Guide to each patient.</p> <p>Sterile, Nonpyrogenic.</p> <p>Rx only</p> <p>LOT EXP</p> <p>Hospira</p> <p>Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>BS4USLFX150</p>
Overwrap Image	<p>TO OPEN - TEAR AT NOTCH ONE UNIT / NDC 0409-0528-31</p> <p>150 mL</p> <p>Levofloxacin in 5% Dextrose Injection, 750 mg/150 mL (5 mg/mL)</p> <p>750 mg in 150 mL 5% Dextrose</p> <p>ATTENTION PHARMACIST: DISPENSE THE ACCOMPANYING MEDICATION GUIDE TO EACH PATIENT.</p> <p>FOR INTRAVENOUS INFUSION INFUSE OVER 90 MINUTES</p> <p>LEAVE BAG IN OVERWRAP UNTIL USE.</p> <p>Each 150 mL contains a dilute solution equivalent of 750 mg of levofloxacin (5 mg/mL) in 5% Dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF for pH adjustment. pH range 3.8 – 5.8. Usual Adult Dosage: See Insert. Store at 20 to 25°C (68 to 77°F). (See USP Controlled Room Temperature.) Product may also be stored in a refrigerator, 2 to 8°C (36 to 46°F). Avoid excessive heat. Protect from light. Protect from freezing. Single-use container. Any unused portion should be discarded. Must not be used in series connection. Additives should not be added or infused through the same intravenous line. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready to use. Use unit promptly when pouch is open. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Use only if solution is clear and the container is undamaged. NO FURTHER DILUTION IS NECESSARY. This container closure is not made with natural rubber latex.</p> <p>RX ONLY Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Hospira</p> <p>14484301 F WR-0566</p>	<p>TO OPEN-TEAR AT NOTCH NDC 0409-4444-01 1 x 150 mL</p> <h1>Levofloxacin</h1> <p>in 5% Dextrose Injection</p> <p>750 mg/150 mL (5 mg/mL)</p> <p>INFUSE OVER 90 MINUTES</p> <p>LEAVE BAG IN OVERWRAP UNTIL TIME OF USE.</p> <p>Each 150 mL contains a dilute solution equivalent of 750 mg of levofloxacin (5 mg/mL) in 5% dextrose. May contain Hydrochloric Acid, NF and/or Sodium Hydroxide, NF for pH adjustment. pH range 3.8 to 5.8. Usual Adult Dosage: See Package Insert. Recommended Storage: At or below 25°C (77°F); however, brief exposure up to 40°C (104°F) does not adversely affect the product. Protect from light. Avoid excessive heat and protect from freezing. Single-dose container. Any unused portion should be discarded. Must not be used in series connections. Additives should not be added or infused simultaneously through the same intravenous line. The overwrap is a moisture barrier. Use unit promptly when pouch is open. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Use only if solution is clear and the container is undamaged. NO FURTHER DILUTION IS NECESSARY.</p> <p>Attention Pharmacist: Dispense the accompanying Medication Guide to each patient.</p> <p>Sterile, Nonpyrogenic, Preservative-free, PVC-free, DEHP-free. The container closure is not made with natural rubber latex.</p> <p>Hospira</p> <p>MADE IN INDIA Distributed by Hospira, Inc., Lake Forest, IL 60045 USA</p> <p>Rx only</p> <p>OS4USLFX150</p>

CATEGORY	CURRENT	NEW
Unit of Sale Shipper Label Image	<p>1-NDC 0409-0528-35 L/N 0528-35 LC 04 IC 31 14604600 QUANTITY: CASE PACK 1 X 24 - 150/250 ML</p> <p>LEVOFLOXACIN IN 5% DEXTROSE INJECTION, 5 MG/ML</p> <p>LOT NO.0000000 SUBLOT #: 1 EXP. DATE 1FEB2003 RX ONLY MADE IN INDIA</p>  <p>(17) 030201 (10) 0000000 (30) 01</p>  <p>(01) 20304090528357 (21) 316621512373</p> <p>DISTRIBUTED BY: HOSPIRA, INC. LAKE FOREST, IL 60045 STORE AT 20 DEG C TO 25 DEG C (68 DEG F TO 77 DEG F)</p>	

Feel free to contact your local wholesaler with your updated forecast. Direct orders can be placed via [Pfizer Prime](#) or by contacting Customer Service at 1-844-646-4398.

Please contact your sales representative or your account executive for any other questions. For medical inquiries, please contact Pfizer Medical Information at 1-800-438-1985.

Thank you,

Roman Savchenko
Portfolio Director, Premix & Pain
Pfizer Hospital U.S.

